



The next generation of DECT wireless headsets from JPL



Optimised to work with

cancellation.







speaker housing for your all day wearing comfort, as well as a longer microphone boom arm to further enhance the Surround Shield™ noise











Overview

Features	Dual or single* speaker - Patented user inter-changeable headband from dual to single* speaker wearing style
	Left / right ear side compatible
	Patented universal base with USB Cartridge Drawer and port to accept a Bluetooth* slot-in cartridge drawer
	DECT security compliant - with DECT standard A, designed to safeguard against eavesdropping
	'Put and stay' ratchet microphone boom arm with Surround Shield™ noise cancelling
	Wideband enabled speakers with Sound Shield™ hearing protection
	Max 100m (300ft) coverage
	6-7 hours wideband audio (stand by ~ 50 hours), recharge (60 - 90 mins)
	5 headsets can be paired to one base, allowing any one of the five headsets to answer a call. When call is answered by any of the headsets, the other four go back to stand-by
	65mm leatherette ear cushions and padded headband cushion for all day comfort
What's included	Universal base unit with USB cartridge module, microphone boom arm, binaural headband, telephone connection cable & switch mode multi country power adapter
Headset Weight	Light-weight headset, ~ 102g
Connection	DECT, 1.88GHz (EU, Rest of World), 1.9GHz (North America)
Base Connection	Base to desk phone via RJ11 - supplied as standard. Upgrade base to Bluetooth* or USB* using additional cartridge modules
Compatibility*	EHS (Full range of EHS cords available), USB, Bluetooth
Certifications	UKCA, CE, FCC, RoHS, REACH
Tech Approval	Avaya Dev Connect, Unify

* optional to purchase separately

Technical Data

Wireless Frequency: 1.88GHz (EU, Rest of World), 1.96GHz (North America)

2 Years repair or replacement warranty

UK/EU:575-385-010, USA: 575-307-030

UK/EU: 5060126959434, USA: 5060126959458

Master Shipping Carton: 16

_	_
Micro	phone:

Warranty

MOQ

EAN:

SKU:

microphone.	
Sensitivity:	-51dB±3dB 0dB=1V/1Pa@1kHz4øNoiseCancelling
Frequency Range:	10Hz~10kHz
Radio Frequency	EU: 24dBm(250mW)
Tx Power:	US: 20dBm(100mW)

Speaker:	
Impedance:	20 ø speaker element; 32Ω
Frequency Range:	300Hz~7000Hz @1kHz (input:100mV)
Battery Type:	Lithium Polymer 370mA
Power Supply:	DC 9V 500mA
Operating Temp:	-10° to +60°C (14° to +140°F)
Storage Temp:	-30° to +70°C (-22° to +158°F)











Order Code: JPL-Explore-USB-B SKU: UK/EU:575-385-010, USA: 575-307-030



USB Cartridge Drawer for softphone interoperability and port for optional Bluetooth Cartridge Module*

Optimised to work with:



















JPL-Explore Accessories & Replacement Parts







The JPL-Explore USB Cartridge Module gives you:

- Softphone interoperability through USB/computer with 3CX, Avaya One-X Agent,
 Cisco Jabber, Counter Path Bria and Skype with assistance from the JPL Gateway.
- The JPL Gateway is available to download from https://www.jpltele.com/resources/jpl-gateway/

Order Code: Explore USB Cartridge Module

SKU: 575-268-007



The JPL-Explore Bluetooth Cartridge Module gives you:

- Wireless Bluetooth connection to any three Bluetooth devices simultaneously (mobile, dongle, tablet).
- This headset allows wireless conversations from any deskphone, softphone and mobile.

Order Code: Explore BT Cartridge Module

SKU: 575-268-005



JPL-Explore Monaural Headband

- Optional wearing style for those who prefer a single ear headset.
- Simply disconnect the microphone boom arm from the binaural headband and reconnect it to the binaural headband.

Order Code: Explore Monaural Headband

SKU: 575-385-007



Longer Life

Because of the modular design, if a speaker / microphone or headband breaks outside of warranty, you only need to replace half of the headset (one part), which means a longer life for the headset and a cost saving because you do not need to replace the complete headset.

Cost of ownership reduced -

Why change the whole headset when changing half the headset is the solution!



Order Code: Element Binaural Headband

SKU: 575-385-004



Further optional accessories available at www.jpltele.com:

EHS Adapter

JPL-DECT Handset Lifter

Micro USB Charging Cable

