

Microsoft Teams Rooms System for Focus and Small Rooms

Yealink MVC Series is the brand-new video conferencing system released by Yealink that revolutionizes the Microsoft Teams Rooms meeting experience. Perfectly integrated with Microsoft Teams Rooms and Yealink cutting-edge audio & video solutions, the Yealink MVC Series is deemed to cover all the usage scenarios and provide you with the excellent meeting experience in the conference room. Yealink MVC Series enhances the whole meeting experience with the familiar Microsoft Teams Rooms interface and a close-to-zero learning curve, allowing you just to simply walk into the conference room and start your meeting with one-touch join, or type a few names and launch an ad hoc call. The Yealink MVC300 includes an UVC30 ultra HD 4K camera with auto framing feature and a CP900 HD full duplex speakerphone covering up to 7 people. MVC300 is perfect suit for focus and small meeting room.



Key Features and Benefits

Easy to Start and Manage Meetings

Its familiar Microsoft Teams Rooms interface and functionality not only makes it easy for everyone but also saving your time to join the meeting faster. The Yealink Plug-in software lets you get rid of the remote control, with auto framing feature you don't have to do the PTZ control any more during the meeting.

Premium Audio and Video Meeting Experience

UVC30 is Yealink's new generation ultra HD camera that supports 4K/30FPS video calls to enhance your business discussion as much as possible. Featuring auto framing, UVC30 free users from doing the PTZ control, always provide a best picture during the meeting. For audio experience, we have crafted an elaborate speakerphone experience for you indeed, including the 360-degree voice pick-up ability and the best echo cancellation which always keeps you staying focused on your meeting. To let you feel free to sit at any end of the table or walk around your meeting room, CP900 packs itself with Yealink HD voice quality.

Flexible and Simple

This solution provides you with an individual touch console that separates from the mini-PC, not only making the deployment more flexible but also rewarding you a tidy and smart conference table.

Easily Managed through Yealink Device Management Platform

This solution supports Yealink Device Management Platform/Cloud Service, you can flawlessly manage, monitor, configure, update and diagnose all Yealink audio and video devices peripherals on this platform remotely.



Yealink MVC300 Specifications

Package Content

- Mini-PC and cable management box
- Yealink MTouch touch console
- · Yealink MShare for content sharing
- UVC30 UHD 4K camera
- CP900 HD speakerphone

Preload

- Windows 10 IoT Enterprise X64
- Windows 10 IoT Enterprise License
- Microsoft Teams Rooms App, support Skype for Business on-premise/online and Teams meetings
- Yeallink Camera Control Plug-in

Mini-PC Package

- 7th-gen Intel[®] Core[™] i5
- Memory: 8GB (2 x 4GB)
- · Storage: 128GB SSD
- 2 x HDMI video output
- · Bluetooth and Wi-Fi
- 4 x USB3.0 Type-A
- 1 x 10/100/1000M Ethernet port
- 1 x Power port
- 1 x Security lock slot
- · Cable management box

Yealink MTouch

- 8-inch IPS screen
- 1280 x 800 resolution
- 10-point capacitive touch screen
- 3.5mm headset jack

- Human Motion Sensor
- Angle adjustable bracket (23° ~ 50°)
- 1 x 7m USB 2.0 cable

Yealink MShare

- 1080P/30FPS FHD by MJPEG format
- · Support wired and wireless content sharing
- Built-in Wi-Fi AP for Yealink wireless presentation device
- 1 x HDMI video input
- 1 x Mini-DP video input
- 1 x USB2.0 Type-B
- 1 x USB2.0 Type-A
- 1 x 7m USB 2.0 cable

Yealink UVC30 4K Camera

- 4K video resolution
- Maximum 60FPS
- 3x digital zoom
- Field of view (diagonal): 120°
- · Facial recognition and Auto framing
- Camera presets
- 1 x 3m USB 2.0 cable

Yealink CP900 HD Speakerphone


- · Optima HD voice
- Built-in 6 MEMS mirophone arrays
- Signal to Noise Ratio (SNR): +59 dB
- 6.5 feet / 2 meters voice pickup range
- · Full-duplex technology
- Noise suppression (NS)


- Digital Signal Processing (DSP)
- Acoustic echo cancellation (AEC)
- Root Mean Square (RMS): 3W

Other Physical Features

- Operating humidity: 10~95%
- Operating temperature: 0~40°C (+32~104°F)
- Storage temperature: -30~70°C (-22~158°F)


Scene Graph in a Conference Room:







Connection:



For convenience, we recommend that you connect a USB hub to the back of the Mini-PC to use mouse and keyboard to manage devices.



About Yealink

Yealink is a global leading provider of enterprise communication and collaboration solutions, offering video conferencing service to worldwide enterprises. Focusing on research and development, Yealink also insists on innovation and creation. With the outstanding technical patents of cloud computing, audio, video and image processing technology, Yealink has built up a panoramic collaboration solution of audio and video conferencing by merging its cloud services with a series of endpoints products. As one of the best providers in more than 140 countries and regions including the US, the UK and Australia, Yealink ranks No.1 in the global market share of SIP phone shipments.

Copyright

Copyright © 2019 YEALINK(XIAMEN) NETWORK TECHNOLOGY CO., LTD.

Copyright © 2019 Yealink(Xiamen) Network Technology CO., LTD. All rights reserved. No parts of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, photocopying, recording, or otherwise, for any purpose, without the express written permission of Yealink(Xiamen) Network Technology CO., LTD.

Technical Support

Visit Yealink WIKI (http://support.yealink.com/) for firmware downloads, product documents, FAQ, and more. For better service, we sincerely recommend you to use Yealink Ticketing system (https://ticket.yealink.com) to submit all your technical issues.



YEALINK(XIAMEN) NETWORK TECHNOLOGY CO.,LTD. Web: www.yealink.com Addr: No.1 Ling-Xia North Road, High Tech Park, Huli District, Xiamen, Fujian, P.R. China Copyright©2019 Yealink Inc. All right reserved.